

9D-HR-19163  
PATENT

IN THE CLAIMS

1. (currently amended) A reflective bracket comprising:  
  
a channel comprising a reflective material, a longitudinal axis, and at least one ventilation opening therethrough, said at least one ventilation opening positioned substantially at a bottom of said channel, and configured to prevent a reflection of heat from said bottom of said channel.
2. (original) A reflective bracket in accordance with Claim 1 wherein said channel has a parabolic shape.
3. (original) A reflective bracket in accordance with Claim 1 wherein said at least one ventilation opening extends longitudinally along said channel.
4. (currently amended) A reflective bracket in accordance with Claim 3 further comprising a shield positioned over a center portion of said channel and said at least one ventilation opening.
5. (original) A reflective bracket in accordance with Claim 4 wherein said shield is integral with said channel.
6. (original) A reflective bracket in accordance with Claim 1 wherein said channel comprises a first side and a second side, said at least one ventilation opening extending laterally along said sides of said channel.
7. (original) A reflective bracket in accordance with Claim 6 further comprising a flap extending from one of said first side and said second side.
8. (original) A reflective bracket in accordance with Claim 1 further comprising at least one holding bracket extending from an end of said channel.

9D-HR-19163  
PATENT

9. (original) A reflective bracket in accordance with Claim 8 wherein said at least one holding bracket is integrally formed with said channel.

10. (currently amended) A reflective bracket comprising:

a channel comprising a reflective material, a longitudinal axis, and at least a first ventilation opening and a second ventilation opening therethrough, said first ventilation opening and said second ventilation opening extending obliquely to one another, said first ventilation opening positioned substantially at a bottom of said channel, and configured to prevent a reflection of heat from said bottom of said channel.

11. (original) A reflective bracket in accordance with Claim 10 wherein the channel comprises a first side and a second side, said first ventilation opening extending longitudinally along said channel, and said second ventilation opening extending laterally along the sides of said channel.

12. (original) A reflective bracket in accordance with Claim 11 further comprising a third ventilation opening extending laterally along said sides of said channel, said at least first ventilation opening positioned between said second ventilation opening and said third ventilation opening.

13. (currently amended) A reflective bracket in accordance with Claim 11 further comprising a shield positioned over a center portion of said channel and said first ventilation opening.

14. (original) A reflective bracket in accordance with Claim 13 wherein said shield is integrally formed with said channel.

15. (original) A reflective bracket in accordance with Claim 10 further comprising at least one holding bracket extending from said channel.

**9D-HR-19163  
PATENT**

16. (original) A reflective bracket in accordance with Claim 15 wherein said holding bracket comprises a plurality of fingers.

17. (original) A reflective bracket in accordance with Claim 15 wherein said holding bracket is integrally formed with said channel.